

**COASTWIDE LABORATORIES****CORPORATE EXPRESS**

10000 SW Commerce Circle

Wilsonville, OR 97070

Office PHONE: 800-775-3289 or FAX 888-549-3344

24-HR EMERGENCIES: **MEDICAL 800-808-4691****Hazard Rating**

Health

Flammability

Reactivity

Special

**HMIS**

2

0

0

None

**NFPA**

2

0

0

None

**DOT CHEMTREC: 800-424-9300****MATERIAL SAFETY DATA SHEET**

Complies with ANSI Z400.1 Format

**SECTION 1: PRODUCT IDENTIFICATION**Product: **HEPASTAT 256™**

MSDS CODES: CL4250.1006; CL4250QM; CL1064.1006

This MSDS is also for Handy Mix™ and Quick Mix® 10 Hepastat 256 Disinfectant-Cleaner

**GENERIC DESCRIPTION**

Disinfectant Cleaner

**DATE ISSUED**

10-1-06

**SUPERSEDES**

3-1-06

**PREPARED BY**

Regulatory Department

**SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS**

Components*	% by Wt.	CAS #	Exposure Limit
Quaternary Ammonium Salts	10-20	NA	None
Nonionic Surfactant	04-08	68439-46-3	TLV not established
Ethanol	01-03	64-17-5	1000 ppm OSHA PEL/STEL
Sodium Metasilicate	01-02	497-19-8	None
Sodium EDTA	04-08	64-02-8	None

Balance is water and similar non-hazardous ingredients.

\*There are no components in this product that are currently reportable in either SARA Title III: Sections 313, 40 CFR part 372 or the California Proposition 65 requirements.

NA = Not applicable NSR = No Special Requirements ND = Not Determined PEL = OSHA TLV-TWA = ACGIH

**SECTION 3: HAZARD IDENTIFICATION**

**Primary Entry Routes:** Skin, eyes, inhalation and ingestion. **Signs & Symptoms of Exposure:** Direct contact of concentrated product with eyes or skin may cause burns. Prolonged or repeated contact of concentrated product with skin may cause burns. May be harmful if swallowed! Prolonged inhalation of concentrated product vapor or mist may cause respiratory discomfort.

**Effects of Overexposure:** Causes eye and skin burns. Harmful if swallowed.

**SECTION 4: FIRST AID MEASURES**

**Emergency First Aid Procedures:** Wash skin with plenty of water. If irritation persists, seek medical aid. If eye contact occurs, flush eyes with water for 15-20 minutes, then get prompt medical aid. If product is swallowed, drink large amounts of water or milk and seek medical aid. **24-HR MEDICAL PHONE: 800-808-4691**

**SECTION 5: FIRE FIGHTING MEASURES**

**Flash Point:** NONE **Flammable Limits:** ND **Extinguishing Media:** Foam. CO2. Dry Chemical. Water or Fog.

**Special Fire Fighting Procedures:** Normal fire fighting procedures may be used.

**Unusual Fire and Explosion Hazards:** Container may melt and leak in heat of fire. Liquid run-off to sewers may create fire and explosion hazard.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Release or Spill:** Before attempting clean-up, refer to Hazard Data above. Remove ignition sources. Contain spill. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

**SECTION 7: HANDLING AND STORAGE**

Store in a cool, dry place with adequate ventilation. Keep out of reach of children.

### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Respiratory Protection:** No special requirements under normal use conditions. Maintain adequate ventilation.  
**Protective Gloves:** For undiluted product and where contact is possible, wear rubber or other impervious gloves.  
**Eye Protection:** For undiluted product and where contact is possible, wear chemical workers splash-proof goggles and/or face shield.  
**Other Protective Measures:** Use good personal hygiene practices. Launder contaminated clothing/equipment.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance/Odor:** Red, clear liquid, mild fragrance    **Boiling Point:** 212F    **Evap. Rate:** NA    **pH:** 11.5 and 8.5-9.5 (0.5%)  
**Vapor Density:** ND    **Vapor Pressure:** NA    **Specific Gravity:** 1.04    **Solubility in Water:** Complete    **%Volatile:** ND

### SECTION 10: STABILITY AND REACTIVITY

**Stability:** Stable    **Conditions to Avoid:** None known to Coastwide Laboratories    **Incompatibility:** Acids, other detergents and chlorine.  
**Hazardous Decomposition Products:** Thermal decomposition may yield hydrogen chloride and oxides of carbon.  
**Hazardous Polymerization:** Will not occur.    **Conditions to Avoid:** None known to Coastwide Laboratories.

### SECTION 11: TOXICOLOGICAL INFORMATION

**Oral Toxicity:** LD<sub>50</sub> in rats is 5000 mg/kg of body weight.

### SECTION 12: ECOLOGICAL INFORMATION

After this product is used as a disinfectant, the organic surfactants biodegrade in sewage systems and/or the environment!

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Information:** PESTICIDAL WASTE - Observe all applicable Federal/State regulations and local ordinances regarding disposal of pesticide wastes. Waste from normal product use may be sewerred to a POTW. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides is a violation of Federal Law. **DISPOSAL AND/OR SPILL INFORMATION:** Do not allow to soak into the ground or to enter a storm drain.

### SECTION 14: TRANSPORT INFORMATION

**DOT EMERGENCY 24-HR:** 800-424-9300    **DOT Class:** Limited quantity exemption for Handy Mix™ ½ gallon and 1-gallon containers.

### SECTION 15: REGULATORY INFORMATION

**SARA Title III Section 313 and 40 CFR Part 372 Notification:** Ingredients in this product are not currently subject. No ingredients in this product are currently listed as carcinogens by NTP, IARC or OSHA. All components of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

### SECTION 16: OTHER INFORMATION

Keep out of reach of children. Do not get in eyes, on skin or clothing. Harmful if swallowed. Avoid contamination of food. Avoid inhalation of spray mist. Always follow label directions carefully when using this or any chemical product. Keep MSDSs filed and organized in an area accessible to workers according to the Hazard Communication Standards. If information about this product is required, please contact COASTWIDE Laboratories at 800-775-3289.

*All information appearing herein is given in good faith. No warranty is made, expressed or implied including merchantability or fitness for a particular purpose. All conditions of use are beyond the control of Coastwide Laboratories. Therefore, users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes. The data contained herein is confidential and intended solely for the user's internal use.*

# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Product number** CLC813  
**Product name** COASTWIDE GUM OFF CHEWING GUM REMOVER FREEZE ACTION  
**Effective date** 13-Nov-2007  
**Company information** COASTWIDE LABORATORIES  
PORTLAND, OREGON 97212  
SEATTLE, WASHINGTON 98134 United States  
**Company phone** General Assistance 10800-732-1084  
**Emergency telephone US** 800-424-9300  
**Emergency telephone outside US** 703-527-3887  
**Supersedes date** 27-Aug-2007

## 2. Hazards Identification

**Emergency overview** EXTREMELY FLAMMABLE  
CONTENTS UNDER PRESSURE.  
Aerosol. Pressurized container may explode when exposed to heat or flame.  
  
Harmful in contact with eyes. Can cause adverse reproductive effects. Prolonged exposure may cause chronic effects.

**OSHA regulatory status** This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

**Potential health effects**

**Eyes** Contact may irritate or burn eyes. Eye contact may result in corneal injury.

**Skin** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**Inhalation** Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful.

**Ingestion** Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause delayed lung damage.

**Target organs** Blood. Central nervous system. Liver. Respiratory system.

**Chronic effects** Unconsciousness. Conjunctiva. Sterility. Liver injury may occur. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage. Can cause adverse reproductive effects. Pregnant women or women of child-bearing age should not be exposed to this product.

**Signs and symptoms** Discomfort in the chest. Corneal damage. Narcosis. Cyanosis. Liver enlargement. Jaundice. Conjunctivitis. Defatting of the skin. Irritation. Birth defects. Sterility.

## 3. Composition / Information on Ingredients

Components	CAS #	Percent
n-Butane	106-97-8	60 - 70
Propane	74-98-6	20 - 30
Ethyl Alcohol	64-17-5	8 - 10
Non-hazardous and other components below reportable levels		0.0001 - 0.1

## 4. First Aid Measures

### First aid procedures

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately.

**Skin contact** Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

<b>Ingestion</b>	Rinse mouth. Get medical attention immediately. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
<b>Notes to physician</b>	Symptoms may be delayed.
<b>General advice</b>	Call a physician if symptoms develop or persist.

### 5. Fire Fighting Measures

<b>Flammable properties</b>	Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use a solid water stream as it may scatter and spread fire.
<b>Protection of firefighters</b>	
<b>Protective equipment and precautions for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

### 6. Accidental Release Measures

<b>Personal precautions</b>	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering. Keep unnecessary personnel away.
<b>Methods for containment</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable.
<b>Methods for cleaning up</b>	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

### 7. Handling and Storage

<b>Handling</b>	Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.
<b>Storage</b>	Level 3 Aerosol.  Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Use care in handling/storage.

### 8. Exposure Controls / Personal Protection

**Exposure limits**

<b>ACGIH</b>				
Components	CAS #	TWA	STEL	Ceiling
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established
<b>OSHA</b>				
Components	CAS #	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established

<b>Engineering controls</b>	Ensure adequate ventilation, especially in confined areas.
<b>Personal protective equipment</b>	
<b>Eye / face protection</b>	Wear chemical goggles.

<b>Skin protection</b>	Protective gloves.
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>General hygiene considerations</b>	When using do not smoke. Avoid contact with eyes. Avoid contact with skin. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical & Chemical Properties

<b>Appearance</b>	Compressed liquefied gas.
<b>Color</b>	clear colorless
<b>Odor</b>	fruity
<b>Physical state</b>	Liquid.
<b>Form</b>	Aerosol.
<b>Flammability (HOC)</b>	41.9597 kJ/g estimated
<b>Flash back</b>	Yes
<b>Pressure</b>	60 - 70 psig @ 70F
<b>Solubility</b>	Partially
<b>Flash point</b>	-156 °F (-104.4 °C) estimated
<b>Boiling point</b>	1.4 °F (-17.2 °C) estimated
<b>Specific gravity</b>	0.57 estimated
<b>pH</b>	Not applicable

## 10. Chemical Stability & Reactivity Information

<b>Chemical stability</b>	Risk of ignition. Stable at normal conditions.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	Isocyanates.
<b>Hazardous decomposition products</b>	May include oxides of nitrogen.

## 11. Toxicological Information

<b>Acute effects</b>	Acute LD50: 18475 mg/kg estimated, Rat, Oral Acute LC50: 1538 mg//4h estimated, Rat, Inhalation
<b>Sensitization</b>	Not expected to be hazardous by OSHA criteria.
<b>Local effects</b>	Contact may irritate or burn eyes. Liver toxicity. Blood disorder may occur after ingestion. Components of the product may be absorbed into the body through the skin.
<b>Chronic effects</b>	Hazardous by OSHA criteria. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood. Prolonged or repeated exposure may cause lung injury. Prolonged exposure may cause chronic effects.
<b>Subchronic effects</b>	Blood disorder may occur after prolonged inhalation. Blood disorder may occur after prolonged skin contact.
<b>Neurological effects</b>	Hazardous by OSHA criteria.
<b>Mutagenicity</b>	Not expected to be hazardous by OSHA criteria.
<b>Reproductive effects</b>	Hazardous by OSHA criteria. Possible reproductive hazard. Can cause adverse reproductive effects - such as birth defects, miscarriages, and infertility.
<b>Teratogenicity</b>	Not expected to be hazardous by OSHA criteria.
<b>Epidemiology</b>	Hazardous by OSHA criteria.
<b>Further information</b>	Symptoms may be delayed.

## 12. Ecological Information

<b>Ecotoxicity</b>	Ecological injuries are not known or expected under normal use.
--------------------	---

## 13. Disposal Considerations

<b>Waste codes</b>	D001: Waste Flammable material with a flash point <140 F
<b>Disposal instructions</b>	Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Incinerate the material under controlled conditions in an approved incinerator. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

## 14. Transport Information

### Department of Transportation (DOT) Requirements

#### Basic shipping requirements:

Proper shipping name	Consumer commodity
Hazard class	ORM-D
Subsidiary hazard class	None
Additional information:	
Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None

### IMDG

#### Basic shipping requirements:

Proper shipping name	AEROSOLS, flammable
Hazard class	2.1
UN number	1950
Additional information:	
Packaging exceptions	LTD QTY
Item	5F
Labels required	2.1
Transport Category	2



### IATA

#### Basic shipping requirements:

Proper shipping name	Aerosols, flammable
Hazard class	2.1
UN number	1950
Additional information:	
Packaging exceptions	LTD QTY



## 15. Regulatory Information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

### CERCLA (Superfund) reportable quantity

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**State regulations****U.S. - Pennsylvania - RTK (Right to Know) List**

Ethyl Alcohol	64-17-5	Present
n-Butane	106-97-8	Present
Propane	74-98-6	Present

**16. Other Information****HMIS® ratings**

Health: 1\*  
 Flammability: 4  
 Physical hazard: 0

**Prepared by**

Regulatory Compliance

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Issue date**

13-Nov-2007