Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Version *1*.0

Print Date 08/05/2020

Revision Date 07/31/2020

SDS Number 350000039184
GEN_SOF Number 70092

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name	**:**	SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution
Recommended use	:	Disinfectant
Restrictions on use	:	Use only as directed on label
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone	:	+1-800-558-5252
Emergency telephone number	:	24 Hour Medical Emergency Phone: (866)231-5406 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification
This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements
Other hazards : None identified

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Version *1*.0

Print Date 08/05/2020

Revision Date 07/31/2020

SDS Number 350000039184
GEN_SOF Number 70092

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Alkyl dimethyl benzyl ammonium chloride	68424-85-1	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

Ingestion : No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Version *1*.0 Print Date 08/05/2020

Revision Date 07/31/2020 SDS Number 350000039184
GEN_SOF Number 70092

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up : Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Version *1*.0 Print Date 08/05/2020

Revision Date 07/31/2020 SDS Number 350000039184
GEN_SOF Number 70092

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	liquid
Color	:	colourless
Odour	:	Marine/Ozone
Odour Threshold	:	Test not applicable for this product type
pH	:	11.0
Melting point/freezing point	:	Test not applicable for this product type
Initial boiling point and boiling range	:	Test not applicable for this product type
Flash point	:	does not flash

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	Test not applicable for this product type
Upper/lower flammability or explosive limits	:	Test not applicable for this product type
Vapour pressure	:	Test not applicable for this product type
Vapour density	:	Test not applicable for this product type
Relative density	:	1.00 g/cm3
Solubility(ies)	:	soluble
Partition coefficient: n-octanol/water	:	Test not applicable for this product type
Auto-ignition temperature	:	Test not applicable for this product type
Decomposition temperature	:	Test not applicable for this product type
Viscosity, dynamic	:	Test not applicable for this product type
Viscosity, kinematic	:	Test not applicable for this product type
Oxidizing properties	:	Test not applicable for this product type

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Version *1*.0 Print Date 08/05/2020

Revision Date 07/31/2020 SDS Number 350000039184
GEN_SOF Number 70092

Volatile Organic Compounds Total VOC (wt. %)*	:	0 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations
Other information	:	None identified

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Conditions to avoid	:	Direct sources of heat.
Incompatible materials	:	Do not mix with bleach or any other household cleaners. Strong bases
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	:	LD50 > 5000 mg/kg
Acute inhalation toxicity	:	LC50 > 10 mg/L
Acute dermal toxicity	:	LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral

Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Alkyl dimethyl benzyl ammonium chloride	LC50 Measured OECD Test Guideline 203	Pimephales promelas (fathead minnow)	0.28 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.03 mg/l	34 d

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Alkyl dimethyl benzyl ammonium chloride	EC50 OECD Test Guideline 202	Daphnia magna (Water flea)	0.016 mg/l	48 h
	NOEC	Daphnia magna	0.0042 mg/l	21 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Alkyl dimethyl benzyl ammonium chloride	EC50 OECD Test Guideline 201	Selenastrum capricornutum, Skeletonema costatum	0.026 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Alkyl dimethyl benzyl ammonium chloride	95.5 %	28 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Alkyl dimethyl benzyl ammonium chloride	79 Measured	3.91

Mobility

Component	End point	Value
Alkyl dimethyl benzyl ammonium chloride	No data available	

PBT and vPvB assessment

Component	Results
Alkyl dimethyl benzyl ammonium chloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport
Not classified as dangerous in the meaning of transport regulations.

Sea transport
Not classified as dangerous in the meaning of transport regulations.

Air transport
Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status	:	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Prop. 65	:	This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

Health	0
Flammability	0
Reactivity	0

NFPA Ratings

Health	0
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

SC JOHNSON PROFESSIONAL ® Trushot 2.0 MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- end-use dilution

Version *1*.0

Print Date 08/05/2020

Revision Date 07/31/2020

SDS Number 350000039184
GEN_SOF Number 70092

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Version *1*.1

Print Date 08/05/2020

Revision Date 07/30/2020

SDS Number 350000031573
GEN_SOF Number 70071

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT-CONCENTRATE- EPA# 6836-348-89900

Recommended use : Disinfectant

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Skin corrosion	Category 1B	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols
Corrosion
Exclamation mark

Signal word
Danger

Hazard statements
Harmful if swallowed.
Causes severe skin burns and eye damage.

Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Immediately call a POISON CENTER/doctor.
Specific treatment (see supplemental first aid instructions on this label).
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/ container to an approved incineration plant.
Wear protective gloves.
Do not breathe dust or mist.
Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Alkyl dimethyl benzyl ammonium chloride	68424-85-1	1.00 - 5.00
Alcohols, C9-11, ethoxylated	68439-46-3	1.00 - 5.00
Tetrasodium ethylene diamine tetraacetate	64-02-8	1.00 - 5.00

Ethyl alcohol	64-17-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical attention immediately.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.

Inhalation : IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion : IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Rinse mouth.

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Specific hazards during firefighting	:	Container may melt and leak in heat of fire.
Further information	:	Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Wear personal protective equipment. Wash thoroughly after handling.
Environmental precautions	:	Outside of normal use, avoid release to the environment.
Methods and materials for containment and cleaning up	:	Dike large spills. Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Avoid breathing vapours, mist or gas. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers	:	Keep container closed when not in use. Store locked up.

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Version *1*.1

Print Date 08/05/2020

Revision Date 07/30/2020

SDS Number 350000031573
GEN_SOF Number 70071

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Rubber gloves

Eye protection : Wear splash-resistant Chemical goggles.

Skin and body protection : Protective footwear.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless

Odour : Marine/Ozone
Citrus

Odour Threshold : Test not applicable for this product type

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Version *1*.1

Print Date 08/05/2020

Revision Date 07/30/2020

SDS Number 350000031573
GEN_SOF Number 70071

pH	:	12.5
Melting point/freezing point	:	Test not applicable for this product type
Initial boiling point and boiling range	:	Test not applicable for this product type
Flash point	:	> 100 °C > 212 °F
Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	No data available
Upper/lower flammability or explosive limits	:	Test not applicable for this product type
Vapour pressure	:	Test not applicable for this product type
Vapour density	:	Test not applicable for this product type
Relative density	:	1.00 g/cm3
Solubility(ies)	:	soluble
Partition coefficient: n-octanol/water	:	Test not applicable for this product type
Auto-ignition temperature	:	Test not applicable for this product type

Decomposition temperature	:	Test not applicable for this product type
Viscosity, dynamic	:	8.5 mPa.s
Viscosity, kinematic	:	Test not applicable for this product type
Oxidizing properties	:	Test not applicable for this product type
Volatile Organic Compounds Total VOC (wt. %)*	:	1.7 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations
Other information	:	None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Conditions to avoid	:	Direct sources of heat.
Incompatible materials	:	Do not mix with bleach or any other household cleaners. Strong bases
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 1,600 mg/kg
Acute inhalation toxicity : LC50 9.2 mg/L

Acute dermal toxicity : LD50 2,900 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1B	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated	No classification proposed	-

exposure		
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity
The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Alkyl dimethyl benzyl ammonium chloride	LC50 Measured OECD Test Guideline 203	Pimephales promelas (fathead minnow)	0.28 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.03 mg/l	34 d
Alcohols, C9-11, ethoxylated	static test LC50	Oncorhynchus mykiss (rainbow trout)	5 - 7 mg/l	96 h
Tetrasodium ethylene diamine tetraacetate	static test LC50	Lepomis macrochirus	41 mg/l	96 h
	NOEC	Danio rerio (zebra fish)	> 25.7 mg/l	35 d
Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Alkyl dimethyl benzyl ammonium chloride	EC50 OECD Test Guideline 202	Daphnia magna (Water flea)	0.016 mg/l	48 h
	NOEC	Daphnia magna	0.0042 mg/l	21 d
Alcohols, C9-11, ethoxylated	static test EC50	Daphnia magna (Water flea)	2.5 mg/l	48 h
	EC10	Daphnia	2.58 mg/l	21 d
Tetrasodium ethylene diamine tetraacetate	EC50	Daphnia magna (Water flea)	140 mg/l	48 h
	NOEC	Daphnia magna	25 mg/l	21 d
Ethyl alcohol	static test LC50	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Alkyl dimethyl benzyl ammonium chloride	EC50 OECD Test Guideline 201	Selenastrum capricornutum, Skeletonema costatum	0.026 mg/l	72 h
Alcohols, C9-11, ethoxylated	EC50	Algae	1.4 - 47 mg/l	72 h
Tetrasodium ethylene diamine tetraacetate	EC50	Desmodesmus subspicatus	1.01 mg/l	72 h
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Alkyl dimethyl benzyl ammonium chloride	95.5 %	28 d	Readily biodegradable.
Alcohols, C9-11, ethoxylated	60 %	28 d	Readily biodegradable.
Tetrasodium ethylene diamine tetraacetate	10 %	28 d	Not readily biodegradable.
Ethyl alcohol	97 %	28 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Alkyl dimethyl benzyl ammonium chloride	79 Measured	3.91
Alcohols, C9-11, ethoxylated	No data available	3.11 - 4.19

Tetrasodium ethylene diamine tetraacetate	1.8 Measured	-3.86
Ethyl alcohol	3.2 estimated	-0.35 Measured

Mobility

Component	**End point**	**Value**
Alkyl dimethyl benzyl ammonium chloride	No data available	
Alcohols, C9-11, ethoxylated	No data available	
Tetrasodium ethylene diamine tetraacetate	Koc	1046 estimated
Ethyl alcohol	No data available	

PBT and vPvB assessment

Component	**Results**
Alkyl dimethyl benzyl ammonium chloride	Not fulfilling PBT and vPvB criteria
Alcohols, C9-11, ethoxylated	Not fulfilling PBT and vPvB criteria
Tetrasodium ethylene diamine tetraacetate	Not fulfilling PBT and vPvB criteria
Ethyl alcohol	Not fulfilling PBT and vPvB criteria

Other adverse effects **:** None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Version *1*.1

Print Date 08/05/2020

Revision Date 07/30/2020

SDS Number 350000031573
GEN_SOF Number 70071

	Land transport	Sea transport	Air transport
UN number	1903	1903	1903
UN proper shipping name	Disinfectant, liquid, corrosive, n.o.s. (Alkyldimethylbenzyl ammonium choloride) 8, II	Disinfectant, liquid, corrosive, n.o.s. (Alkyldimethylbenzyl ammonium choloride) 8, II	Disinfectant, liquid, corrosive, n.o.s. (Alkyldimethylbenzyl ammonium choloride) 8, II
Transport hazard class(es)	8	8	8
Packing group	II	II	II
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

15. REGULATORY INFORMATION

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

DANGER:
Corrosive.

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Causes irreversible eye damage.
Causes skin burns.
Harmful if swallowed.
Harmful if absorbed through skin.

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

Massachusetts RTK	Ethyl alcohol	64-17-5
Minnesota HSL	Ethyl alcohol	64-17-5
New Jersey HRTK	Ethyl alcohol	64-17-5
Pennsylvania RTKL	Water	7732-18-5
	Di-N-Alkyl Ammonium Chloride	68424-95-3
	Alkyl dimethyl benzyl ammonium chloride	68424-85-1
	Alcohols, C9-11, ethoxylated	68439-46-3
	Ethyl alcohol	64-17-5
	Sodium hydroxide	1310-73-2

SC JOHNSON PROFESSIONAL® TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT- CONCENTRATE- EPA# 6836-348-89900

Version *1*.1

Print Date 08/05/2020

Revision Date 07/30/2020

SDS Number 350000031573
GEN_SOF Number 70071

16. OTHER INFORMATION

HMIS Ratings

Health	3
Flammability	0
Reactivity	0

NFPA Ratings

Health	3
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)